



THE ABBOTT SPECIALTY METALS COMPANY, INC.

3307 SOUTH LAWDALE AVE. - CHICAGO, ILLINOIS 60623 - PHONE (312) 376-7655

June 8, 1971

Micor Company, Inc.  
P.O. Box 3954  
Milwaukee, Wisconsin 53205

Attention: Mr. Robert Greenberg

Gentlemen:

We have used your Micor Standard Grout # 25 kit, for anchoring 1" bolts into our concrete floor which is 8" thick.

We believe your products are superior to other grouting compounds we have used. Our slitting machines have been in place over 18 months without any loosening of the anchor bolts.

Very truly yours,

ABBOTT SPECIALTY METALS CO., INC.

Edward P. O'Hara

EPH/pdw

**FMC Corporation**

Outdoor Power Equipment Division  
215 South Park Street  
Port Washington Wisconsin 53074  
(414) 284 5521

March 7, 1975



Mr. Robert Greenberg  
Micor Comp. Inc.  
P.O. Box 3954  
Milwaukee, WI 53205

Dear Bob:

Here is the testimonial.

When the concrete grout broke out from under our 100 hp Clark Compressor, it threatened to shut down one of our assembly lines for several days. Fortunately, we were able to regrout with Micorox Epoxy Grout. Our compressor was back in operation in less than a day saving a sizable loss in production. The Micorox Grout has been in place since May of 1972 and is still in excellent shape.


Very truly yours,

FMC Corporation  
OPE Division

A handwritten signature in cursive script that reads 'Jack Chesak'.

Jack Chesak

af



LUITINK MANUFACTURING CO.

W140 N8680 Lilly Road • Menomonee Falls, Wis. 53051 • Phone: (414) 251-8800

March 14, 1972

Micor Company  
1351 W. North Avenue  
Milwaukee, Wisconsin

Gentlemen:

Just a word to let you know that your epoxy material is still standing up very well after fifteen months of useage. We grouted in our big presses with your material and it continues to amaze us as to the shock and abuse the epoxy can take.

Sincerely yours,

LUITINK MANUFACTURING CO.

Phillip B. Mayer  
Vice-president

PBM:ja



# Mellowes Company

Div. Charter Mfg. Co., Inc.

125 East Wash Street  
Milwaukee, Wis. 53201  
Phone (414) 28-5000

Manufacturers of  
Steel, Stainless Steel,  
Bronze, and Monel  
Lockwashers

September 23, 1971

Micor Products  
1351 West North Avenue  
Milwaukee, Wisconsin 53205

Dear Sir:

After trying numerous types of materials to fasten down and grout our machinery, I tried your material.

The initial trial involved grouting 5/8" diameter bolts into a 8" concrete floor to hold a framework that supports heavy overhung loads, and then grouting between the column pads and the floor. We have not had a single case of pull out or separation to date.

We subsequently used the material on similar applications with complete satisfaction each time.

Sincerely,

MELLOWES COMPANY

  
R. Mitchell

RM/mb

# MIDWEST STEEL CO.

Division of H. SAMUELS COMPANY, INC. - Portage, Wis.

*Salvage Materials*

4400-4499 SYCAMORE AVE.  
MADISON, WISCONSIN 53714  
TELEPHONE (608) 241-1571

May 20, 1974


Micro Company  
1357 West North Avenue  
Milwaukee, Wisconsin 53205

Dear Sir:

Midwest Steel has a car shredding operation in Madison, Wisconsin. Because of the vibration and shock involved in shredding, we use Micorox Machine base resin as grout under our 2500 horsepower electric motor that turns the rotor.

It is also used in a number of other places with no problems after two years of operation.

SINCERELY,



Phil Woodward



MILLER COMPRESSING COMPANY  
P. O. BOX 369 • MILWAUKEE, WISCONSIN 53201 • AREA CODE 414-671-5980

June 25, 1974

Micor Company, Inc.  
1351 West North Avenue  
Milwaukee, Wisconsin 53205

Attention: Mr. Bob Greenberg

Dear Bob:

Just a few lines about our experience with your Micorox Epoxy Grout. We have found the material to be very satisfactory in grouting our large equipment such as the Galland-Henning 3800 Baler, 900 Series American Pedestal Crane, and 1128 ton Richards Shear.

The Richards Shear has been grouted for two years and is holding up very well. We have not had to regrout as was necessary with concrete materials.

As you know, we have since grouted the bull ring on our pedestal crane and parts of the hydraulic equipment on our Galland-Henning Baler and are very satisfied with the results.

Very truly yours,

MILLER COMPRESSING COMPANY

Don Bruce

DB:jef



UNIVERSAL *Foods* CORPORATION

RED STAR YEAST OPERATIONS

REPLY ADDRESS  
325 North 27th Street  
MILWAUKEE, WISCONSIN 53208

March 13, 1975

Mr. Bob Greenberg  
Micor Company, Inc.  
P.O. Box 3954  
Milwaukee, Wisconsin 53205

Dear Bob:

Just a note to let you know that we have had good results using your Micorox Epoxy Grout.

You may recall that we discovered that one of our 300 horsepower Roots Blowers was misaligned with its drive motor. Since we had to keep the plant operating we scheduled the realignment and regrouting on the evening of 11-27-72. With your help the machine was regrouted in two hours using your Micorox Epoxy Grout, and the machine was back in service at 7a.m. the next morning.

The machine and particularly the grout has performed without incident since then. In fact based on that good results, we have within the past two months grouted in two new machines as well as building support columns using the same material.

Sincerely,

*Bill Baum*  
Bill Baum  
Plant Engineer



# Wisconsin Centrifugal Inc.

WAUKESHA, WISCONSIN 53186 USA TELEPHONE (414) 542-5771

July 2, 1971

Micor Co., Inc.  
1351 W. North Avenue  
Milwaukee, Wisconsin 53205



We at Wisconsin Centrifugal, Inc. would like to compliment you on a fine product of yours. The product we used was MBR-114.

From our first contact with Micor we were impressed. Mr. Greenburg evaluated our problem and recommended his product to us. I feel that he would not recommend a product that would not do the job and I agree with his sales philosophy.

After deciding to use this product Mr. Greenburg was at our plant to advise the use of this material, but I must add, the job can be executed merely by following the instructions.

Our first experience with your product was on three flat "plate" bases. (Figure 1). The largest was 88" X 133". By calculating the material needed and the material used we were able to determine how much of the base was actually "grouted". We were very impressed with the 95%+ coverage especially with this size base.

Figure 2 is a structural steel base that was grouted in a similar manner. This base, we feel, has 100% coverage due to its area and shape.




We have had excellent performance out of this "grout". We intend to use it again when a piece of equipment is installed or old grout needs to be replaced. We have a very high regard for your product and your company, both of which we have recommended to other companies and will continue to do so. Keep up the fine work.

Sincerely,  
Wisconsin Centrifugal, Inc.

*Roger L. Varner*  
Roger L. Varner  
Project Engineer

RV/ra



AUTOMOTIVE, AGRICULTURAL AND  
INDUSTRIAL SHEET METAL PRODUCTS  
TO CUSTOMER SPECIFICATIONS

DEEP DRAWN SPECIALTIES

Phone 414 - 771-7700

# WESTERN METAL SPECIALTY DIVISION,

WESTERN INDUSTRIES, INC.

1211 NORTH SIXTY-SECOND STREET • • MILWAUKEE WISCONSIN 53213

, May 20, 1974

Micor Co., Inc.  
1351 W. North Avenue  
Milwaukee, Wisconsin 53205

Attention: Mr. R. Greenberg

Dear Bob:

We just received a report from our Maintenance Department that our Test Tank Impact Machine, grouted with MICOROX, is holding up beautifully after three (3) full years of service.

This machine impacts at an average of 80 times per minute and can generate in excess of 300 force "G" per impact. Needless to say, the grout must be substantial to withstand such constant pounding -- and MICOROX is doing the job.

Thank you again for your service.

Yours truly,

N. Stoltmann  
Purchasing Agent

ns/jv  
lcc - file.